
Systematic scoping review of consumption away from home in low and middle-income countries: from methodological challenges to summarizing the evidence

Edwige Landais^a, Mathilda Miotto-Plessis^a, Chris Bene^{b,c}, Elodie Maitre d'Hotel^a, Mai Truong Tuyet^d, Jérome W Somé^e and **Eric O Verger**^a

^aMolSA, Univ Montpellier, CIRAD, CIHEAM-IAMM, INRAE, Institut Agro, IRD, Montpellier, France; ^bInternational Center for Tropical Agriculture, Cali, Colombia; ^cWageningen Economic Research Group, Wageningen University the Netherlands; ^dNutrition-Network Department, National Institute of Nutrition, Hanoi, Vietnam; ^eCentre National de la Recherche Scientifique et Technologie, Institut de Recherche en Sciences de la Santé, Département Biomédical et Santé publique, Ouagadougou, Burkina Faso







Introduction

• Food consumed away from home (FCAFH) = meals, snacks and beverages obtained from restaurants, street outlets, etc.



Luxury restaurant in Nepal



Street restaurant in Singapore



Malgachy street vendor

- Negatively affects diet and nutritional status in HICs
- Gap of knowledge and data in LMICs

Objectives

 Explore the literature documenting the phenomenon of FCAFH in apparently healthy population in LMICs

II. Summarize the evidence of associations between FCAFH and diet quality


III. Summarize the evidence of associations between FCAFH and nutritional status and health outcomes




Mexican street vendor

Methodology – Search strategies

PRISMA-ScR / peer-reviewed articles from 2011 to 2021 / Medline, WoS & Scopus




Results – Unbalanced geographical representation




Results – Large methodological heterogeneity


FCAFH as a clear objective of the study



Results – Large methodological heterogeneity









Definition of FCAFH


Results – Large methodological heterogeneity

FCAFH as a clear objective of the study









Reference period of FCAFH

Results – FCAFH, energy contribution and diet quality (n=22)

• Data from 5 countries only, with overrepresentation of Brazil

Results – FCAFH, energy contribution and diet quality (n=22)

- Data from 5 countries only, with overrepresentation of Brazil
- Daily energy contribution varied **from 9 to 35%** depending on the population and country (*n*=6)

Results – FCAFH, energy contribution and diet quality (n=22)

- Data from 5 countries only, with overrepresentation of Brazil
- Daily energy contribution varied from 9 to 35% depending on the population and country (n=6)
- Associations with measures of diet quality (n=20)




Results – FCAFH, nutritional status and health outcomes (n=24)

• Data from 9 countries, with one third from China


Results – FCAFH, nutritional status and health outcomes (n=24)

- Data from 9 countries, with one third from China
- Associations with nutritional status (n=19)



Results – FCAFH, nutritional status and health outcomes (n=24)

- Data from 9 countries, with one third from China
- Associations with nutritional status (n=19)



• Associations with health outcomes (n=6)



Take-home messages

 Little information on FCAFH in LMICs (only 12 countries)

 A common phenomenon across studies countries

 Negative consequences on diet, nutritional status and health

 Need to develop harmonized surveillance systems



Market restaurant in Bolivia

© IRD - Jean-Jacques Lemasson

Thank you for your attention

Alliance















